



# *surgiForce* light

SURGEON'S CHAIR



E

ENJOY QUALITY AND DESIGN

# surgiForce light

Item No.: 2600 0006 with Comfort seat  
Item No.: 2600 0009 with Formed seat (Illustration)

surgiForce light – extraordinary technology and materials in typical **surgiForce** premium design, in combination with other control elements:

A clearly structured twin foot keypad plus manually operated gas spring mechanisms in the arm supports – for surgeons wishing to precision-adjust their arm position with minimum fuss.



## MED.TEC at its highest level


### Double castors

The five high-grade double castors are smooth-running and rotated by 360 degrees. This means no-limits mobility, especially in confined operating room spaces. **surgiForce's** central front castor in particular gives extra stability to keep the treating surgeons safely in place whenever they shift their bodyweight forward.



### Chassis

The drive mechanism's base is made of cast aluminum. This means maximum stability and longevity and no-limits mobility. And the material and workmanship meet the strictest sanitary requirements.



### Plastic cover panels

The mirror-finish plastic cover panels with their scratch-resistant and impact-modified surface finish are extremely hygienic and easy to disinfect.



## Mains-free operation


### Accumulators

The charger-battery-control unit integrated in the drive mechanism permits mains-free operation at protective low voltage. Splash-protected charging socket on the bottom of the drive mechanism.



### Braking system

The easy-to-reach and easy-to-use central brake acts on all four double castors to keep the *surgiForce light* safely and reliably in the desired position.



## Multi-function unit

### Foot operated

Timeless foot keypad design for UP/DOWN seat height adjustment with non-slip polyamide touch surfaces. Easy-to-reach brake levers on either side of the driving mechanism for centralized braking/unfettered maneuvering.



Abrasion-resistant corner guards (orange) made of synthetic rubber take the stress out of maneuvering *surgiForce light* even at close quarters to other medical equipment.

## Armrests with gas-spring mechanism



### 3D freedom of movement

Armrest height is adjustable independently of seat height. It takes only simple rolling movement to manually control the gas spring mechanism.

Turning, tilting, rotating: The armrests have been designed for fast and unfussy 3D movements.



Need to readjust *surgiForce light* while maintaining sterile conditions? Not a problem! In addition to the foot keypad, *surgiForce light* features so-called "one-hand triggers" underneath the armrests.



High-precision, maintenance-free ball joint for full 360-degree range armrest movements around all axes. Ultra-lightweight guide system for fast, efficient and vibration-proof adjustment of individual underarm positions.

## Seating systems



Seat angle adjustment

Back angle adjustment

Back height adjustment



Seat angle adjustment

Back angle adjustment

Back height adjustment



Comfort

The Comfort seating system: with mechanical individual adjustment functions. An additional lumbar support as a backrest provides relief for the spine. Sliding carriage for adjusting the seat depth optionally available.




Formed seat

The form seating system: With enlarged contact surface for more comfort and optimum weight distribution. The seat surface can be individually tilted forward and fixed together with the backrest. In addition, angle and height adjustment of the backrest ensure an ideal sitting posture.



## Technical specifications

Angled armrest support for increased freedom of armrest movement around the lateral axis.



### Lifting column

- Lifting height of the seat 200 mm
- Lifting height of the armrests 130 mm
- Electromotive adjustment via the foot control elements

### Dimensions maximum (LxWxH) incl. armrests

- with Comfort seat 825x700x1,190 mm
- with Formed seat 825x700x1,280 mm

### Chassis

- Castors ø 100 mm
- 5th castors ø 65 mm
- Central brake acting on all four castors
- Emergency stop button

### Battery unit

- Lead-gel battery, 2 pcs. 12 V, 2.9 A
- Universal battery charger: Input: 100 – 240 V  
Output: 24 V

### Seating systems:

- Min. sitting height 595 mm | 580 mm
- Max. sitting height 795 mm | 780 mm
- Seat angle adjustments -9°/+3° | -14°
- Back angle adjustments -21°/+2° | -19°/+5°

### Weight

71 kg

### Max. load

150 kg

Techn. Änderungen vorbehalten.

## Technical dimensions

### Upholstery/color card

Standard color  
black  
Item No.: 3037 0223



"Periline" Page 105

### Comfort

Standard color  
anthracite  
Item No.: 3037 0052




"Tundra skai" Page 102  
"Pandoria Plus" Page 103

### Formed seat

### Seating system Comfort

Minimum

Maximum



### Seating system Formed seat

Minimum

Maximum




# Components



*surgiForce light*  
Formed seat **Item No.:** 2600 0009



*surgiForce light*  
Comfort seat **Item No.:** 2600 0006




Armrest pair with linear guide and one-hand release, factory-fitted

Item No.: 3351 1008



Seat adjustment mechanism for optimum access to the operating field, adjustment 113 mm, factory-fitted

Item No.: 3351 1013



Footswitch plate 429x820 mm, height 53 mm

Item No.: 3317 0000



Footswitch plate 429x670 mm, height 53 mm

Item No.: 3351 1041

PREMIUM  
LINE

# “Tundra skai”



High quality skai® material with fine calf leather grain and subdued matte-gloss-effect. The very extensive and trend-orientated color spectrum enables many applications and combinations.

### Product Specification

- Long-lasting
- Tear resistant
- Easy to clean
- Abrasion resistant (DIN EN ISO 6570-2)
- Lightfast
- Disinfectant resistant
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Blood- and urine resistant
- Phthalate-free
- Vegan

<i>eyeForce</i>	1800 0000
<i>500 XLE</i>	1500 0006
<i>500 XLE comfort</i>	1500 0006
	+ 3037 0080
<i>500 XLS</i>	1500 0005
<i>500 ECO</i>	1500 0008
<i>400 XL</i>	1400 0001
<i>surgiForce</i>	Formed seat 2600 0008
<i>surgiForce light</i>	Formed seat 2600 0009
<i>surgiLine</i>	Formed seat 2200 0008
<i>assistLine</i>	2400 0015
<i>motionLine</i>	1700 0000
<i>motionLine-E</i>	1700 0001

+ Item No.: 3037 0...

weiß F6461198 Item No.: .....134	creme F6461210 Item No.: .....057	beige F6461636 Item No.: .....094	sand F6461230 Item No.: .....058	pistazio F6461610 Item No.: .....153	mint F6461495 Item No.: .....067	aqua F6461456 Item No.: .....001	türkis F6461338 Item No.: .....008
perle F6461288 Item No.: .....007	silber F6461550 Item No.: .....070	stone F6461608 Item No.: .....075	bleu F6461496 Item No.: .....068	dolphin F6461609 Item No.: .....076	sky F6461581 Item No.: .....073	royal F6461196 Item No.: .....051	atoll F6461453 Item No.: .....062
violett F6461356 Item No.: .....059	cyclame F6461381 Item No.: .....119	orchidee F6461354 Item No.: .....011	bordeaux F6461350 Item No.: .....010	kirsche F6461199 Item No.: .....054	feuer F6461454 Item No.: .....063	karneol F6461557 Item No.: .....072	orange F6461556 Item No.: .....071
apricot F6461458 Item No.: .....066	mais F6461457 Item No.: .....065	mango F6461607 Item No.: .....074	safran F6461542 Item No.: .....069	limonade F6461343 Item No.: .....009	limone F6461543 Item No.: .....109	smaragd F6461455 Item No.: .....064	agave F6461273 Item No.: .....006
chrom F6461205 Item No.: .....056	ocean F6461204 Item No.: .....055	schoko F6461357 Item No.: .....060	schwarz F6461195 Item No.: .....050	anthrazit F6461197 Item No.: .....052			

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at [info@ufsk-osys.com](mailto:info@ufsk-osys.com).

# "Pandoria Plus"



skai® Pandoria Plus is a high-quality upholstery material, whose fine micropore structure gives a certain unobtrusiveness, which is refined by an attractive tone-in-tone effect. The very pleasant feel of the material and the excellent material characteristic and the broad, modern color spectrum make skai® Pandoria Plus universally usable.





















## Product Specification

- Long-lasting
- Tear resistant
- Easy to clean
- Abrasion resistant (DIN EN ISO 5470-2)
- Resistant to oil and fat
- Lightfast
- Disinfectant resistant
- Flame protection
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Resistant to sudor, blood and urine
- Antibacterial according to JIS Z 2801
- Vegan

<i>eyeForce</i>		1800 0000
<i>500 XLE</i>		1500 0006
<i>500 XLE comfort</i>		1500 0006
		+ 3037 0080
<i>500 XLS</i>		1500 0005
<i>500 ECO</i>		1500 0008
<i>400 XL</i>		1400 0001
<i>surgiForce</i>	Formed seat	2600 0008
<i>surgiForce light</i>	Formed seat	2600 0009
<i>surgiLine</i>	Formed seat	2200 0008
<i>assistLine</i>		2400 0015
<i>motionLine</i>		1700 0000
<i>motionLine-E</i>		1700 0001

+ Item No.: 3037 0136

+ Item No.: 3037 0...

				
weiß F6413046 Item No.: .....053	hellbeige F6413047 Item No.: .....141	kiesel F6413048 Item No.: .....158	birke F6413049 Item No.: .....159	smoke F6413050 Item No.: .....221
				
silbergrau F6413075 Item No.: .....275	platin F6413053 Item No.: .....161	anthrazit F6413076 Item No.: .....276	schwarz F6413052 Item No.: .....170	schoko F6413051 Item No.: .....160
				
gletscher F6413055 Item No.: .....162	sky F6413074 Item No.: .....277	royal F6413056 Item No.: .....163	smaragd F6413073 Item No.: .....278	kaktus F6413077 Item No.: .....281
				
feuer F6413058 Item No.: .....166	kirsche F6413079 Item No.: .....279	fuchsia F6413078 Item No.: .....280	mais F6413057 Item No.: .....164	limone F6413054 Item No.: .....165

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at [info@ufsk-osys.com](mailto:info@ufsk-osys.com).



# “Periline”



## Product Specification

- Without Phthalates
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyPro H</i>		2400 0006
<i>easyPro R</i>		2400 0013
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022
<i>easyLine Rs</i>		2400 0024

+ Item No.: 3037 0...

				
kastanie 015817 Item No.: .....240	light brown 016037 Item No.: .....239	creme 015812 Item No.: .....225	weiß 010881 Item No.: .....224	stein 015813 Item No.: .....236
				
saphir 015814 Item No.: .....231	delft 010766 Item No.: .....241	antistatisch schwarz Item No.: .....223	schwarz 011499 Item No.: .....235	anthracit 016046 Item No.: .....234
				
azur 015815 Item No.: .....230	aubergine 016041 Item No.: .....229	lavendel 016042 Item No.: .....228	rot 010878 Item No.: .....238	orange 016040 Item No.: .....237
				
kiwi 015816 Item No.: .....233	lime green 016043 Item No.: .....232	lemon 016039 Item No.: .....226	safran 010879 Item No.: .....227	

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at [info@ufsk-osys.com](mailto:info@ufsk-osys.com).

# Upgrade your OR to perfection.



*eyeForce*



*500 XLE*



*500 XLE comfort*



*500 XLS*



*500 ECO*



*400 XL*



*motionLine*



*motionLine-E*



*surgiForce*



*surgiForce light*



*surgiTrend*



*surgiLine*



*stayClean wipes*



*stayClean*



*staySoft*



*stayClean roll*



*supportLine*



*supportLine plus*



*assistTrend*



*assistPro F*



*assistPro H*



*easyPro F*



*easyPro H*



*easyPro R*



*easyLine F*



*easyLine R*



*easyLine Rs*



*assistLine*

## CONTACT US



**UFSK**  
INTERNATIONAL

**OSYS**

UFSK-International OSYS GmbH  
Kirchhoffstraße 1  
93055 Regensburg  
Germany

Phone +49 (0) 941 78862 15  
Fax +49 (0) 941 78862 35  
Mail [info@ufsk-osys.com](mailto:info@ufsk-osys.com)  
Web [ufsk-osys.com](http://ufsk-osys.com)

**MADE IN GERMANY**  
Design | Construction | Manufacturing