

500 XLE

TREATMENT CHAIR



500 XLE

Item No.: 1500 0006

The perfect reclining treatment chair for rotation systems in outpatient operating rooms.





MED.TEC at its highest level


Double castors

Four fully rotating double-run castors for back-friendly, easy rolling motion.



Chassis/frame

Precision steel frame chassis, zinc primed with anthracite textured paint coating.



Chassis cover/upholstery

The mirror-finish plastic cover panels with their scratch-resistant and impact-modified surface finish are extremely hygienic and easy to disinfect.



Precise positioning of the head part

Sterile adjustment by surgeon/maximum legroom

Headrest

3D and longitudinally adjustable headrest element with head molding and neck support for guaranteed safe and correct head positioning.








Components

Headrest with ball joint and more

Discover additional features and extensive components on page 34-35.

Item No.: 3351 1021









Positioning



The 500 XLE treatment chair is designed for ergonomic and comfortable patient positioning and treatment, particularly for outpatient surgical techniques. It offers versatile adjustment of the head, back, seat and leg sections and overall chair height for patient transport.

- Eight freely programmable memory positions
- CPR button
- Reset button
- Auto run function
- · Battery charge indicator



Hand control

Multi-functional manual keypad



Battery charge indicator



Reset button



CPR button



Auto run function



8 free configurable memory positions

features three additional numeric keys.

For additional desired memory positions, the system

Positioning by hand control

Standard recommended memo keys



Anesthesia







Flat position

Mechanical maneuvering aid on the chassis


Operation via foot lever on the chassis

Activation of directional guidance

Pushing from the head direction











Push handles

Detachable push handles on the foot ends for easy maneuvering.



Armrests

Hinged and removeable armrests for easy entry and exit as well as transfer of the patient.




Braking system

Manually adjustable foot lever

Castors are braked



Castors are released, directional guidance is deactivated



Components

Additional handles/shoulder parts and more

Discover additional features and extensive components on page 34-35.



500 XLE comfort

Item No.: 1500 0006 + 3037 0080

Our 500 **XLE** with extra thick upholstery, integrated knee support cushion and flattened neck area - for extra reclining comfort.

Outstanding comfort, particular flexibility.



Upholstery

Comfort

Thick comfort upholstering and integrated knee support cushion, individually positionable to suit every patient's body height. The treatment chair featuring comfort upholstering is particularly well suited for longer surgical procedures (e.g. retina surgery).

Available in a wide variety of colors. Please refer to page 100 for our complete range of colors.







Flexibility in every detail

Headrest

The flattened back cushion of the Comfort upholstery in the neck area offers maximum freedom of movement for the headrest.









Integrated knee support cushion

Optimum patient comfort thanks to the integrated knee support cushion which can be easily adjusted to accommodate any patient height.







Components

Foot part extension

Adjustable foot part extension incl. foot support for easier entry and exit of the patient.



Besides, entry height is reduced by 80 mm.

Item No.: 3351 1028



190 mm

Technical specifications



Chassis

 Frame profile 	90 x 50 mm
 Outside length 	785 mm

- Outside width incl. lever 720 mm
- Steel tube frame, powder-coated elegant anthracite matte finish
- Brake operable from both sides and acting on two castors each; two castors featuring independent directional steering function
- Double rimmed castors ø 125 mm
- Detachable foot keypad (total, head up/down)
- Emergency stop button
- · Visible screws are made of stainless steel
- With equipotential bonding connection

Upper frame

- · 4-part support frame (head, back, seat, leg part)
- Removeable upholstery
- Width of upholsteryWidth incl. armrests850 mm
- Length 1.760 1.900 mm

(incl. legrest extension) + 190 mm

	Angle	Dimensions (L x W)
 Head part 	-29°/+35°	255 x 245 mm
Back part	0°/+83°	610 x 610 mm
 Seat part 	-5°/+35°	450 x 610 mm
 Leg part 	o°/-77°	510 x 610 mm
 Height adjustment 		625-925 mm
	(c	omfort) 655-955 mm
 Armrests 	0°/+180°	(2x) 470 x 75 mm

Entry height

(standard) 580 mm/500 mm (incl. legrest extension) (comfort) 610 mm/530 mm (incl. legrest extension)

• Legroom 520 – 820 mm

Trendelenburg -12°/Reverse Trendelenburg +5°

Electrical control

- · All components according to IP54
- Hand control with 8 individually programmable memory positions, auto run function, reset button
- Foot keypad with 4 foot switches and reactivation button

Electric Drives

- · Head, back, seat, leg part, total up/down
- Trendelenburg/Reverse Trendelenburg

Lifting column

- Max. liftingMax. load300 mm250 kg
- · Motors IP54 with HAL sensors, to be memorized


Trendelenburg/Reverse Trendelenburg/CPR



Back part/leg part



Height adjustment



Powerful accumulators

- Battery box with 2 batteries (lead-gel), pollution free, maintenance-free, cadmium-free 2x 12 V, 7,2 Ah
- · As back-up-system exchangeable without tools
- Acoustic low voltage signal for discharge protection
- Universal battery charger
 Input: 100 240 V
 Output: 30 V

Operating time per battery charge

- Measured by operating circle (Prepare-Operate-Recover)
- 100 OPs
- Quantity of operating circles depends on individual operation

Mains-free operation

Easy recharging of the equipment thanks to charging adapter and integrated battery charger circuit board.



Simple battery replacement

Additional safety due to replaceable battery box (back-up system **Item No.**: 3047 0000). Discharged battery box can be replaced quickly.



Further technical details

- Chair has detachable, swiveling armrests made completely with PUR foam
- Detachable seat for service friendly access to electric components

Max. load 250 kg

Weight 135 kg

Subject to technical modifications.

Equipment protection

Cover drape stayClean

2,000 x 730 mm, box á 160 Pieces 4x 40 Pieces | Item No.: 3034 0014 Page 64

Upholstery/color card

Standard color

500 **XL**

500 **XLE** comfort

anthracite (main color)
+ chrome (accent color)

anthracite Item No.: 3037 0052

Item No.: 3037 0092

"skai Tundra" Page 102

"skai Pandoria Plus" Page 103



Components





500 XLE **Item No.**: 1500 0006



500 **XLE** comfort Comfort upholstery incl. integrated knee roll, upcharge

Item No.: 1500 0006 + 3037 0080



Side parts right and left, swiveling incl. locking, upholstered, 580 x 200 mm

Item No.: 3351 0012



Norm rail seat part

Item No.: 3351 0047



Side parts right and left, 580×200 mm, incl. quick-release clamp for mounting on norm rail (norm rail 3351 0047 not included)

Item No.: 3351 0050



Backup battery

Item No.: 3047 0000



Pushing handles back part,

Item No.: 3351 0046



Pushing handles back part,

Item No.: 3351 0017



Anesthesia arm board with universal joint, with arm secure straps

Item No.: 3351 0011



Flexible surgical drape support rod

Item No.: 3205 0000



Flexible surgical drape support rod with air connection

Item No.: 3206 0000



Hand control holder, PVC (component holder 3351 0037 not included)

Item No.: 3351 1023



Headrest with ball joint, 360° all-round adjustment, factory-fitted

Item No.: 3351 1021




Hand control holder for attachment onto an I.V. Pole Ø 25/18 mm, PVC

Item No.: 3351 1022



Head part bumper stainless steel

Item No.: 3028 0000



Wrist rest 550×370 mm, height adjustable, incl. mounting plate, adjustment 115 mm

Item No.: 3209 0000



Wrist rest, adjustable, incl. mounting plate 3013 0000, adjustment 115 mm

Item No.: 3014 0000



Wrist rest, adjustable, tiltable, incl. mounting plate 3013 0000, adjustment 115 mm

Item No.: 3014 0005




Mounting plate stainless steel, for wrist rest 3014 0000, 3014 0005 and 3209 0000

Item No.: 3013 0000



Head fixation pillow with hollow (rubins pillow), 410 x 250 mm, height 100 mm, factory-fitted

Item No.: 3022 0000



Facial pillow, horseshoe-shaped, incl. adapter plate, factory-fitted

Item No.: 3351 1016



Instrument table 500×300×15 mm, height adjustable, swiveling, detachable, incl. adapter (component holder 3351 0037 not included)

Item No.: 3065 0000



Shoulder parts right and left 500 **XLE** Item No.: 3071 0000

500 **XLE** comfort Item No.: 3071 0001



Kick bucket, capacity 12l, stay**Clean** kick bucket

Hygiene products

Item No.: 3351 1046

Cover drape for

treatment chair.

2,000 x 730 mm,

box á 160 pieces Item No.: 3034 0014

stay**Clean**

(



Knee half roll, 600x280x140 mm, PUD-coated

Item No.: 3019 0000



Knee roll round, 500 x 150 mm, PUD-coated

Item No.: 3050 0000



Wrist secure straps, pair

Item No.: 3015 0000



Body strap with Velcro straps, 2-piece

Item No.: 3083 0000



Foot part extension incl. foot support, factory-fitted, upcharge

Item No.: 3351 1028



Foot protection foil

Item No.: 3092 0001



I.V. Pole stainless steel Ø 25/18 mm, one-hand height adjustable 1,070 – 1,660 mm, 4 hooks, max. 2 kg/hook, glass and holder (component holder 3351 0037 not included)

Item No.: 3068 0000



Component arm stainless steel, swiveling, incl. extendible I.V. Pole Ø 25 mm

Item No.: 3024 0014



Component holder, stainless steel

Item No.: 3351 0037



Cylinder holder

Item No.: 3072 0002

Medical product



Instrument table support**Line** height adjustable 730-1,000 mm

Item No.: 3351 0026

Color cards

Customize the upholstery of your products to color-coordinate them with your workplace environment.

To do this, select one or two colors (main and accent color - as with the 500 XLE comfort and 500 ECO) from one of the following color cards.



Application example *motionLine-E*

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Example: standard version



500 **XLE** comfort Item No.: 1500 0006 + 3037 0080

Examples of color combinations







"skai® Tundra"



High quality skai® material with fine calf leather grain and subdued matte-glosseffect. The very extensive and trendorientated color spectrum enables many applications and combinations.

Product Specification

- · Long-lasting
- · Tear resistant
- Easy to clean
- · Abrasion resistant (DIN EN ISO 6570-2)
- Lightfast
- Disinfectant resistant
- · Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- · Blood- and urine resistant
- Phthalate-free
- Vegan

eye Force		1800 0000
500 XLE		1500 0006
500 XLE comfort		1500 0006
		+ 3037 0080
500 XLS		1500 0005
500 ECO		1500 0008
400 XL		1400 0001
surgi Force	Formed seat	2600 0008
surgi Force light	Formed seat	2600 0009
surgi Line	Formed seat	2200 0008
assist Line		2400 0015
motion Line		1700 0000
motion Line -E		1700 0001

+ Item No.: 3037 O...













silber F6461550


Item No.:070

cyclame F6461381

Item No.:119

mais F6461457

Item No.:065













Item No.: 060





sand F6461230

Item No.:058

bleu F6461496

Item No.: 068

bordeaux F6461350

Item No.:010

safran F6461542



















anthrazit F6461197 Item No.:052



Item No.:001

mint F6461495

Item No.: 067

sky F6461581

Item No.:073

feuer F6461454

Item No.:063

limone F6461543

Item No.:109



türkis F6461338 Item No.:008



royal F6461196 atoll F6461453 Item No.:051 Item No.:062







smaragd F6461455

Item No.: 064



agave F6461273 Item No.:006

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

"skai® Pandoria Plus"



skai® Pandoria Plus is a high-quality upholstery material, whose fine micropore structure gives a certain unobtrusiveness, which is refined by an attractive tone-in-tone effect. The very pleasant feel of the material and the excellent material characteristic and the broad, modern color spectrum make skai® Pandoria Plus universally usable.

Product Specification

- Long-lasting
- Tear resistant
- Easy to clean
- Abrasion resistant (DIN EN ISO 5470-2)
- · Resistant to oil and fat
- Lightfast
- · Disinfectant resistant
- Flame protection
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- · Resistant to sudor, blood and urine
- Antibacterial according to JIS Z 2801
- Vegan

eye Force		1800 0000
500 XLE		1500 0006
500 XLE comfort		1500 0006
		+ 3037 0080
500 XLS		1500 0005
500 ECO		1500 0008
400 XL		1400 0001
surgi Force	Formed seat	2600 0008
surgi Force light	Formed seat	2600 0009
surgi Line	Formed seat	2200 0008
assist Line		2400 0015
motion Line		1700 0000
motion Line -E		1700 0001

+ Item No.: 3037 0136 + Item No.: 3037 0...



The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



















500 XLS

500 ECO

400 XL

motionLine

motionLine-E

















surgiForce

surgiForce light

surgiTrend

surgiLine

stayClean

stayClean roll

stayClean kick bucket

supportLine

















assistLine

assistPro F

assistPro H

easyPro F

easyPro R

easyLine F

easyLine R

UFSK INTERNATIONAL



CONTACT US



UFSK-International OSYS GmbH Kirchhoffstraße 1 93055 Regensburg Germany

Tel. +49 (0) 941 78862 15 +49 (0) 941 78862 35 Fax E-Mail info@ufsk-osys.com Web ufsk-osys.com

