



SURGICAL CHAIRS & TABLES FOR EYE- & MICROSURGERY

PRODUCT GUIDE 2026



ASSISTANT'S CHAIR

assistPro

assistPro



assistPro F Item No.: 2400 0005
 assistPro H Item No.: 2400 0009

The perfect assistant's chair for your OR.

Chassis

- High-grade 5-arm aluminum pedestal
- Excellent handling characteristics thanks to smooth-running double castors
- Optionally available with braking double castors
- Supports loads up to 130 kilograms



Technical specifications

Lifting column

- Height adjustment *assistPro F* 530–730 mm
- assistPro H* 520–720 mm

Chassis

- Five legged chassis \varnothing 585 mm
- Castors \varnothing 65 mm

Comfort seat

- D x W x H (incl. back part) 385 x 425 x 540 mm
- Seat angle adjustment $-5^{\circ}/+5^{\circ}$
- Back angle adjustment $-25^{\circ}/+5^{\circ}$

Weight

- assistPro F* 12 kg
- assistPro H* 11 kg

Max. load

130 kg

Subject to technical modifications.

Seating system




Comfort Seat

- Ergonomically shaped seat and backrest with lumbar support
- Support for correct, back-friendly sitting posture and reduction of tension caused by prolonged sitting
- Durable, easy-care seat cover made of medical-grade artificial leather to meet the highest OR requirements
- Optionally available with electrically conductive upholstery



Flexibility

Variants



- Sterile, comfortable height adjustment via foottriggered gas pressure spring (*assistPro F*)
- Classic seat height adjustment via manual trigger underneath the seat (*assistPro H*)
- Flexible height adjustment from 53 to 73 cm (*assistPro F*) and 52 to 72 cm (*assistPro H*)
- Optionally available with arm supports (*assistPro F*)

Standard color

black Item No.: 3037 0235

You can find additional colors on the color card „PeriLine“ on page 95



Comfort

Components



assistTrend
Item No.: 2500 0002



assistPro F
Item No.: 2400 0005



assistPro H
Item No.: 2400 0009



assistTrend
Armrest pair
incl. traverse

Item No.: 3300 0000



assistPro F
Armrest pair
incl. traverse

Item No.: 3351 0038



easyPro F
Item No.: 2400 0010



Double rimmed castor,
65 mm, with braking function

Item No.: 3351 0040

Color card

PeriLine



Product Specification

- Without Phthalates
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022

+ Item No.: 3037 0...

				
kastanie 015817 Item No.:240	light brown 016037 Item No.:239	creme 015812 Item No.:225	weiß 010881 Item No.:224	stein 015813 Item No.:236
				
saphir 015814 Item No.:231	delft 010766 Item No.:241	antistatisch schwarz Item No.:223	schwarz 011499 Item No.:235	anthracit 016046 Item No.:234
				
azur 015815 Item No.:230	aubergine 016041 Item No.:229	lavendel 016042 Item No.:228	rot 010878 Item No.:238	orange 016040 Item No.:237
				
kiwi 015816 Item No.:233	lime green 016043 Item No.:232	lemon 016039 Item No.:226	safran 010879 Item No.:227	

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



eyeForce



500 XLE



500 XLE comfort



500 XLS



500 ECO



400 XL



motionLine



surgiForce



surgiForce light



surgiTrend



surgiLine



stayClean



stayClean roll



stayClean kick bucket



stayClean collector



assistTrend



assistPro F



assistPro H



easyPro F



easyLine F



easyLine R



assistLine



supportLine



CONTACT US

UFSK-International OSYS GmbH
Kirchhoffstraße 1
93055 Regensburg
Germany

Tel. +49 (0) 941 78862 15
Fax +49 (0) 941 78862 35
E-Mail info@ufsk-osys.com
Web ufsk-osys.com

MADE IN GERMANY
Design | Construction | Manufacturing