

PRODUCT GUIDE 2026



SURGEON'S CHAIR

surgiTrend

performanceLine

surgiTrend



Item No.: 2200 0012 with Comfort seat (Illustration)
Item No.: 2200 0010 with Dynamic seat

For back protection and maximum work flexibility in confined spaces. Sophisticated, space-saving drive mechanism with reduced size for ample foot space combines tilt stability with easy and smooth maneuvering. Outstanding sitting comfort and a wide range of adjusting functions allow every surgeon to find his or her personal best and healthiest working position for any work scenario. Available in two seating system types: Comfort or Dynamic.



Seating systems



Comfort

Seat angle adjustment



Back angle adjustment



Back height adjustment



Upholstery/color card

Standard color black Item No.: 3037 0223

You can find additional colors on the color card „PeriLine“ on page 95



Comfort



Dynamic

Dynamic-function



Lumbar support angle adjustment



Lumbar support height adjustment



Standard color black Item No.: 3037 0021

For additional colors, see the color card „Stamskin® Top“ on page 94



Dynamic

Armrests

- Stable, ergonomically shaped armrests with curved support surface (350 x 120 mm)
- Height-adjustable by 320 mm and fully movable in all directions thanks to a ball joint
- Designed for personalized adjustment to the surgeon
- Optionally available with one-hand release
- Optionally available with linear guide and one-hand release



Chassis

- Four high-quality, smooth-running double castors
- 5th castor for added resistance to tipping
- Optimized foot space
- Central braking system effective on four castors
- Integrated foot keypad panel with LED for seat height adjustment
- Power supply-independent battery box with emergency stop button



Technical specifications

Lifting column

- Drive 3,000 N (IPX4)
- Lifting height 200 mm

Chassis

- L x W (incl. braking system/foot keypad) 655x620 mm
- Castors ø 100 mm
- 5th castor ø 65 mm
- Central brake acting on all four castors
- Emergency stop button

Battery unit

- Battery box with 2 batteries (lead-gel), pollution free, maintenance-free, cadmium-free 2 x 12 V, 7.2 Ah
- Universal battery charger: Input: 100 – 240 V
Output: 30 V

Seating systems:

Comfort | Dynamic

- Min. sitting height 550 mm | 600 mm
- Max. sitting height 750 mm | 800 mm
- Seat adjustment angle -5°/+5° | -
- Backrest adjustment angle -18°/+5° | 29°
- Autodynamic angle of seat - | 12°
- Autodynamic angle of backrest - | 16°

Weight

45 kg

Max. load

150 kg

Subject to technical modifications.

Technical dimensions

Seating system Comfort

Minimum



Maximum



Specifications in mm

620

Seating system Dynamic

Minimum



Maximum



Components



surgiTrend
Dynamic seat Item No.: 2200 0010



surgiTrend
Comfort seat Item No.: 2200 0012



surgiLine
Formed seat Item No.: 2200 0008




surgiLine
Comfort seat Item No.: 2200 0013




Backup battery

Item No.: 3047 0000



Armrest pair with
linear guide and
one-hand release,
adjustment range 110 mm,
factory-fitted

Item No.: 3351 1006



Armrest pair with
one-hand release,
factory-fitted

Item No.: 3351 1004



surgiTrend
Footswitch plate
480x715 mm, height 53 mm

Item No.: 3351 1011



surgiLine
Footswitch plate
480x715 mm, height 53 mm

Item No.: 3351 0014

Color card

PeriLine



Product Specification

- Without Phthalates
- Biocompatibility:
cytotoxicity (EN ISO 10 993-5) and
epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022

+ Item No.: 3037 0...



kastanie 015817
Item No.:240



light brown 016037
Item No.:239



creme 015812
Item No.:225



weiß 010881
Item No.:224



stein 015813
Item No.:236



saphir 015814
Item No.:231



delft 010766
Item No.:241



antistatisch schwarz
Item No.:223



schwarz 011499
Item No.:235



anthracit 016046
Item No.:234



azur 015815
Item No.:230



aubergine 016041
Item No.:229



lavendel 016042
Item No.:228



rot 010878
Item No.:238



orange 016040
Item No.:237



kiwi 015816
Item No.:233



lime green 016043
Item No.:232



lemon 016039
Item No.:226



safran 010879
Item No.:227

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



eyeForce



500 XLE



500 XLE comfort



500 XLS



500 ECO



400 XL



motionLine



surgiForce



surgiForce light



surgiTrend



surgiLine



stayClean



stayClean roll



stayClean kick bucket



stayClean collector



assistTrend



assistPro F



assistPro H



easyPro F



easyLine F



easyLine R



assistLine



supportLine



CONTACT US

UFSK-International OSYS GmbH
Kirchhoffstraße 1
93055 Regensburg
Germany

Tel. +49 (0) 941 78862 15
Fax +49 (0) 941 78862 35
E-Mail info@ufsk-osys.com
Web ufsk-osys.com

MADE IN GERMANY
Design | Construction | Manufacturing